Recipe 16 - Configuration Guide for Setting up Trustgenix IdentityBridge 2.1 as an AA and CS			
Table of Contents:			
1.1	Terms and Introduction Terms and Introduction tner Configuration Open Trustgenix for Configuration Configure a Partner AA. Configure a Partner CS		
		Version 2.0.0	

1 Setup

1.1 Terms and Introduction

The SAML 1.0 is one of the adopted schemes within the E-Authentication architectural framework. This guide should help you setup SAML 1.0 and Trustgenix IdentityBridge 2.1 as an Agency Application (AA) and Credential Service (CS). Remember that the Trustgenix setup screens are often the same, whether setting up an AA or a CS. After reviewing the terms, configure your scheme to handle SAML 1.0, starting at the administration console screen shown in Figure 16-1.

Term	Definition
Agency Application (AA)	An online service provided by a government agency that requires an end user to be authenticated.
Credential Service (CS)	A service of a CSP that provides credentials to subscribers for use in electronic transactions. If a CSP offers more than one type of credential, then each one is considered a separate CS.
Credential Service Provider (CSP)	An organization that offers one or more CSs. Sometimes known as an Electronic Credential Provider (ECP).
Project Management Office (PMO)	The PMO is the organization that handles E-Authentication program management, administration, and operations.

2 Partner Configuration

2.1 Open Trustgenix for Configuration

Open the Trustgenix IdentityBridge Administration Console (<a href="https://<host>/tfs-internal/admin">https://<host>/tfs-internal/admin). The administration console screen should appear as shown in Figure 16-1 (note: the product names provided may be different). Next, click on the **New Site** link provided in the left-hand Admin Tasks column.




Figure 16-1: Administration Console

The New Site screen should appear as shown in Figure 16-2.




Figure 16-2: New Site Screen

2.2 Configure a Partner AA

As demonstrated in Figure 16-3 below, select **Application** from the **Site Type** drop down menu, enter a **name** for the site in the **Site Name** field, enter a **target URL** for the site in the **Homepage URL** field, enter a **description** of the site in the **Description** field (*optional*), select **SAML 1.0** from the **Protocol** drop down menu, and then click the **Next** button.




Figure 16-3: Select Application

The New Site Meta Data screen should appear as shown in Figure 16-4. As demonstrated in Figure 16-4, select the **Manual Entry** radio button, enter a **unique Audience ID** for the site (e.g. <a href="https://<host">https://<host) in the **Audience ID** field, past the **base64 encoded client certificate** of the partner in the **Assertion Consumer Certificate** field (note: delete the "being certificate" and "end certificate" header and footer if provided), enter the **Artifact receiver URL** in the **Assertion Consumer URL** field, and then click the **Create** button.




Figure 16-4: New Site Meta Data

The administration console screen should appear providing a listing of all configured sites as shown in Figure 16-5. Next, click on the newly created site.




Figure 16-5: Newly Created Site

The Site Details screen should appear as shown in Figure 16-6. As demonstrated in Figure 16-6, select **Federation Policy** from the drop down menu and click the **Edit** button.




Figure 16-6: Site Details

The Edit Site Federation Policy screen should appear as shown in Figure 16-7. As demonstrated in Figure 16-7, select **Local Names** from the **Name Federation** drop down menu, select **Required** from the **User Consent** drop down menu, and then click the **Save** button.




Figure 16-7: Edit Site Federation Policy

The Site Details and Application Attribute Policy screen should appear as shown in Figure 16-8. As demonstrated in Figure 16-8, select **Attribute Policy** from the drop down menu and click the **Edit** button.




Figure 16-8: Site Details and Application Attribute Policy

The Edit Site Application Attribute Policy screen should appear as shown in Figure 16-9. As demonstrated in Figure 16-9, configure **User attributes to push to application during SSO** to all desired attributes (**Assurance Level, CSid, Common Name**) and click the **Save** button.




Figure 16-9: Edit Site Application Attribute Policy

2.3 Configure a Partner CS

First, open the Trustgenix IdentityBridge Administration Console as previously described (Figure 16-1 and 16-2). As demonstrated in Figure 16-10, select **Authority** from the **Site Type** drop down menu, enter a **name** for the site in the **Site Name** field, select **SAML 1.0** from the **Protocol** drop down menu, and select the **Next** button.




Figure 16-10: Select Authority

The New Site Meta Data screen should appear as shown in Figure 16-11. As demonstrated in Figure 16-11, click on the **Manual Entry** radio button, enter the site's **Issuer ID** in the **Issuer ID** field, enter the site's **hex Source ID** in the **Source ID** field (*note: cannot be Base64 encoded*), enter the **responder URL** in the **Artifact Retrieval SOAP Endpoint** field, and then click the **Create** button.




Figure 16-11: New Site Meta Data

The administration console screen should appear providing a listing of all configured sites as shown in Figure 16-12. Next, click on the newly created site.




Figure 16-12: Newly Created Site

The Site Details and Attribute Policy screen should appear as shown in Figure 16-13. As demonstrated in Figure 16-13, select **Attribute Policy** from the drop down menu and click the **Edit** button.




Figure 16-13: Site Details and Attribute Policy

The Edit Site Application Attribute Policy screen should appear as shown in Figure 16-14. As demonstrated in Figure 16-14, configure **User attributes to obtain from authority on each login** to all desired attributes (**Assurance Level, CSid, Common Name**) and click the **Save** button.




Figure 16-14: Edit Site Application Attribute Policy